

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Gravidtrap Index (PMGI) and Port Monthly Density Index (PMDI) in 2021
2021年港口每月白紋伊蚊誘蚊器指數及密度指數

Port Area 港口地區		Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	PGI 港口誘蚊器指數	0.0%	0.0%	0.04%	0.5%	0.4%	0.4%	0.2%	0.4%	0.2%	0.04%	0.0%	0.0%
	PDI 港口密度指數	N/A	N/A	1.0	1.1	1.1	1.5	1.0	1.0	1.2	1.0	N/A	N/A
Cross Boundary Check Points on Land 陸路邊境口岸	PGI 港口誘蚊器指數	0.1%	0.1%	0.6%	2.8%	4.0%	4.4%	2.8%	1.7%	0.8%	0.5%	0.4%	0.0%
	PDI 港口密度指數	1.0	1.0	1.0	1.1	1.3	1.4	1.2	1.1	1.0	1.1	1.0	N/A
Private Cargo Working Areas 私人貨物裝卸區	PGI 港口誘蚊器指數	0.0%	0.0%	0.7%	1.7%	4.8%	7.6%	4.8%	4.7%	1.8%	1.1%	0.3%	0.0%
	PDI 港口密度指數	N/A	N/A	1.0	1.0	1.0	1.8	1.3	1.4	1.0	1.0	1.0	N/A
Cross Boundary Ferry Terminals 出入境碼頭	PGI 港口誘蚊器指數	0.0%	0.0%	0.0%	0.0%	0.9%	1.0%	1.2%	1.1%	1.3%	0.3%	0.3%	0.0%
	PDI 港口密度指數	N/A	N/A	N/A	N/A	1.0	2.0	1.0	1.0	1.0	1.0	1.0	N/A
Container Terminals 貨櫃碼頭	PGI 港口誘蚊器指數	0.0%	0.0%	0.0%	0.1%	0.3%	0.3%	1.1%	0.2%	0.3%	0.2%	0.2%	0.0%
	PDI 港口密度指數	N/A	N/A	N/A	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	N/A
Public Cargo Working Areas 公眾貨物裝卸區	PGI 港口誘蚊器指數	0.0%	0.0%	0.6%	0.9%	6.0%	4.5%	6.1%	4.8%	2.5%	1.7%	0.9%	0.0%
	PDI 港口密度指數	N/A	N/A	1.0	1.0	1.0	1.1	1.1	1.4	1.2	1.3	1.0	N/A
Port Monthly Gravidtrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊器指數		0.02%	0.02%	0.2%	0.8%	1.9%	1.8%	1.5%	1.3%	0.7%	0.3%	0.2%	0.0%
Port Monthly Density Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊密度指數		1.0	1.0	1.0	1.1	1.1	1.5	1.2	1.2	1.1	1.2	1.0	N/A

Remarks:

Gravidtrap Index figures in green:

Gravidtrap Index figures in yellow:

Gravidtrap Index figures in red:

Gravidtrap Index figures in purple:

Level I: GI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ GI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ GI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: GI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當白紋伊蚊誘蚊器指數顯示為綠色：

當白紋伊蚊誘蚊器指數顯示為黃色：

當白紋伊蚊誘蚊器指數顯示為紅色：

當白紋伊蚊誘蚊器指數顯示為紫色：

第一級別：誘蚊器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department

食物環境衛生署

Port Monthly Gravidtrap Index (PMGI) and Port Monthly Density Index (PMDI) in 2020

2020年港口每月白紋伊蚊誘蚊器指數及密度指數

Port Area 港口地區		Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	PGI 港口誘蚊器指數	0.2%	0.8%	1.4%	0.4%	0.3%	0.2%	0.0%	0.0%	0.0%
	PDI 港口密度指數	1.2	1.2	1.1	1.0	1.0	1.0	N/A	N/A	N/A
Cross Boundary Check Points on Land 陸路邊境口岸	PGI 港口誘蚊器指數	0.9%	4.7%	7.2%	2.3%	1.6%	2.0%	0.6%	0.1%	0.2%
	PDI 港口密度指數	1.0	1.5	1.5	1.0	1.4	1.2	1.0	1.0	1.0
Private Cargo Working Areas 私人貨物裝卸區	PGI 港口誘蚊器指數	1.3%	7.3%	11.3%	1.5%	3.5%	3.8%	0.6%	0.0%	0.0%
	PDI 港口密度指數	1.0	1.1	1.3	1.2	1.1	1.4	1.0	N/A	N/A
Cross Boundary Ferry Terminals 出入境碼頭	PGI 港口誘蚊器指數	0.5%	3.6%	2.5%	1.1%	1.4%	0.9%	0.0%	0.0%	0.0%
	PDI 港口密度指數	1.0	1.2	1.0	1.2	1.2	1.3	N/A	N/A	N/A
Container Terminals 貨櫃碼頭	PGI 港口誘蚊器指數	0.1%	0.9%	0.8%	0.5%	0.3%	0.1%	0.1%	0.0%	0.1%
	PDI 港口密度指數	1.0	1.1	1.0	1.0	1.0	1.0	1.0	N/A	1.0
Public Cargo Working Areas 公眾貨物裝卸區	PGI 港口誘蚊器指數	0.3%	4.9%	10.2%	3.2%	2.0%	5.7%	2.7%	0.2%	0.2%
	PDI 港口密度指數	1.0	1.1	1.1	1.2	1.0	1.0	1.0	1.0	1.0
Port Monthly Gravidtrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊器指數		0.4%	2.3%	3.5%	1.1%	0.9%	1.1%	0.4%	0.03%	0.1%
Port Monthly Density Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊密度指數		1.1	1.3	1.3	1.1	1.1	1.2	1.0	1.0	1.0

Remarks:

Gravidtrap Index figures in green:

Gravidtrap Index figures in yellow:

Gravidtrap Index figures in red:

Gravidtrap Index figures in purple:

Level I: GI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ GI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ GI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: GI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當白紋伊蚊誘蚊器指數顯示為綠色：

當白紋伊蚊誘蚊器指數顯示為黃色：

當白紋伊蚊誘蚊器指數顯示為紅色：

當白紋伊蚊誘蚊器指數顯示為紫色：

第一級別：誘蚊器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2020
2020年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%									
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.2%									
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%									
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%									
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.1%									
Public Cargo Working Areas 公眾貨物裝卸區	0.0%	0.0%	0.0%									
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.05%									

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2019
2019年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.7%	0.8%	0.6%	0.5%	0.3%	0.6%	0.04%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	1.0%	2.6%	6.1%	4.3%	2.1%	2.8%	1.4%	0.4%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.3%	2.5%	5.7%	7.8%	6.6%	6.3%	1.9%	0.9%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.3%	2.2%	5.7%	4.2%	0.0%	0.6%	0.2%	0.2%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.1%	0.6%	1.3%	1.0%	0.7%	0.6%	0.1%	0.0%	0.0%
Public Cargo Working Areas 公眾貨物裝卸區	0.0%	0.0%	0.0%	1.1%	3.0%	4.4%	5.4%	3.3%	2.6%	1.7%	0.7%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.01%	0.8%	1.7%	2.6%	2.2%	1.2%	1.2%	0.4%	0.1%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2018
2018年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.05%	1.1%	1.5%	1.5%	1.0%	0.5%	0.05%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.0%	5.3%	5.3%	7.3%	4.3%	3.7%	0.8%	0.2%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.6%	8.1%	10.1%	6.8%	6.3%	3.2%	0.6%	0.3%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	2.6%	3.0%	2.2%	1.4%	0.9%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	1.1%	1.0%	0.8%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公眾貨物裝卸區	0.0%	0.0%	0.0%	0.4%	4.2%	7.5%	7.9%	6.0%	4.0%	0.4%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.1%	2.0%	2.4%	2.7%	2.2%	1.4%	0.2%	0.04%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2017
2017年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.5%	1.9%	1.2%	1.9%	1.2%	1.2%	0.1%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	1.8%	5.9%	6.2%	5.0%	2.4%	1.8%	0.0%	0.0%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.6%	5.6%	5.6%	8.1%	5.0%	5.7%	1.3%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	0.4%	0.4%	0.4%	0.0%	0.9%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.8%	0.3%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公眾貨物裝卸區	0.0%	0.0%	0.0%	0.4%	6.3%	4.7%	7.6%	5.2%	6.3%	5.5%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.5%	2.5%	1.8%	2.5%	1.5%	1.6%	0.4%	0.0%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2016
2016年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.9%	2.4%	1.0%	1.4%	1.4%	1.3%	0.3%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	1.2%	11.9%	5.0%	2.1%	5.3%	3.3%	0.6%	0.0%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	10.1%	14.5%	11.3%	7.5%	8.8%	2.5%	0.6%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	0.8%	2.1%	1.7%	0.9%	1.3%	0.4%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	2.2%	0.0%	0.6%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公眾貨物裝卸區	0.0%	0.0%	0.0%	0.0%	9.3%	9.2%	10.5%	7.9%	10.9%	4.2%	1.7%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.8%	3.6%	2.4%	2.3%	2.2%	2.1%	0.7%	0.1%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2015
2015年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.4%	1.8%	1.9%	1.5%	1.9%	1.0%	0.3%	0.3%	0.04%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.0%	5.1%	7.7%	2.7%	3.9%	2.1%	1.2%	0.3%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	3.8%	5.1%	7.5%	11.5%	5.0%	0.0%	1.3%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	1.3%	1.3%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	1.7%	5.1%	6.8%	4.4%	4.3%	0.9%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.3%	2.0%	2.4%	1.7%	2.2%	1.3%	0.4%	0.3%	0.03%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department

食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2014

2014年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.3%	1.8%	1.6%	1.6%	1.1%	0.1%	0.0%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.0%	8.9%	10.5%	6.6%	3.6%	2.4%	1.8%	0.3%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	3.8%	9.0%	9.0%	3.8%	1.3%	1.3%	1.3%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	7.8%	6.1%	4.3%	2.1%	1.0%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	3.4%	8.5%	4.2%	3.4%	0.9%	0.0%	1.8%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.3%	2.3%	2.5%	2.2%	1.3%	0.3%	0.1%	0.1%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2013
2013年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.1%	0.5%	0.7%	0.6%	0.6%	0.4%	0.1%	0.1%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.0%	8.9%	11.8%	3.0%	4.1%	2.4%	0.0%	0.6%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	8.8%	8.9%	3.9%	6.3%	6.4%	5.0%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	15.8%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	4.2%	11.2%	4.2%	1.7%	1.7%	2.6%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.1%	1.1%	1.9%	0.9%	0.9%	1.3%	0.3%	0.1%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2012
2012年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.6%	7.6%	7.1%	1.2%	4.8%	2.4%	1.8%	0.0%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	5.0%	5.0%	1.3%	5.1%	1.3%	1.3%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	1.3%	2.5%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.6%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	0.8%	7.6%	5.6%	5.1%	2.7%	0.0%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.0%	0.0%	0.1%	0.7%	0.7%	0.4%	0.6%	0.3%	0.1%	0.0%	0.1%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2011
2011年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%	0.2%	0.1%	0.0%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.0%	0.0%	15.1%	11.3%	3.8%	2.5%	1.9%	0.0%	0.0%	0.0%
Private Cargo Working Areas 私人貨物裝卸區	0.0%	0.0%	0.0%	0.0%	1.3%	11.4%	3.8%	3.8%	0.0%	0.0%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	2.9%	0.0%	1.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	1.3%	3.8%	3.8%	5.1%	2.6%	0.9%	0.0%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.1%	0.0%	0.0%	0.1%	1.1%	1.0%	0.7%	0.4%	0.2%	0.0%	0.0%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: OI < 5% (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: 5% ≤ OI < 20% (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: 20% ≤ OI < 40% (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: OI ≥ 40% (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 < 5.0% [白紋伊蚊分布並不廣泛]

第二級別：5.0% ≤ 誘蚊產卵器指數 < 20.0% [白紋伊蚊分布頗為廣泛]

第三級別：20.0% ≤ 誘蚊產卵器指數 < 40.0% [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 ≥ 40.0% [白紋伊蚊分布非常廣泛]

Food and Environmental Hygiene Department
食物環境衛生署

Port Monthly Ovitrap Index (PMOI) in 2010
2010年港口每月誘蚊產卵器指數

Port Area 港口地區	Jan 一月	Feb 二月	Mar 三月	Apr 四月	May 五月	Jun 六月	Jul 七月	Aug 八月	Sep 九月	Oct 十月	Nov 十一月	Dec 十二月
Hong Kong International Airport 香港國際機場	0.0%	0.1%	0.1%	0.1%	0.4%	0.7%	0.7%	0.4%	0.5%	0.7%	0.1%	0.0%
Railway Cargo Handling Areas 鐵路貨物裝卸區	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	1.7%	3.3%	5.0%	1.7%	0.0%	0.0%
Cross Boundary Check Points on Land 陸路邊境口岸	0.0%	0.0%	0.7%	0.0%	5.0%	10.7%	0.0%	2.9%	1.4%	2.9%	0.0%	0.0%
Cross Boundary Ferry Terminals 出入境碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.9%	2.9%	0.0%	0.0%	0.0%
Container Terminals 貨櫃碼頭	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Public Cargo Working Areas 公共海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	0.6%	8.3%	3.2%	3.8%	3.8%	3.2%	0.0%	0.0%
Private Cargo Working Areas 私人海傍貨物裝卸區	0.0%	0.0%	0.0%	0.0%	1.7%	10.0%	3.4%	5.0%	3.4%	0.0%	0.0%	0.0%
Port Monthly Ovitrap Index for <i>Aedes albopictus</i> 港口每月白紋伊蚊誘蚊產卵器指數	0.0%	0.1%	0.1%	0.1%	0.6%	1.6%	0.8%	0.8%	0.8%	0.9%	0.1%	0.0%

Remarks:

Ovitrap Index figures in green:

Ovitrap Index figures in yellow:

Ovitrap Index figures in red:

Ovitrap Index figures in purple:

Level I: $OI < 5\%$ (indicates that the distribution of *Aedes albopictus* in the survey area is not extensive)

Level II: $5\% \leq OI < 20\%$ (indicates that the distribution of *Aedes albopictus* in the survey area is fairly extensive)

Level III: $20\% \leq OI < 40\%$ (indicates that the distribution of *Aedes albopictus* in the survey area is extensive)

Level IV: $OI \geq 40\%$ (indicates that the distribution of *Aedes albopictus* in the survey area is very extensive)

備註：

當誘蚊產卵器指數顯示為綠色：

當誘蚊產卵器指數顯示為黃色：

當誘蚊產卵器指數顯示為紅色：

當誘蚊產卵器指數顯示為紫色：

第一級別：誘蚊產卵器指數 $< 5.0\%$ [白紋伊蚊分布並不廣泛]

第二級別： $5.0\% \leq$ 誘蚊產卵器指數 $< 20.0\%$ [白紋伊蚊分布頗為廣泛]

第三級別： $20.0\% \leq$ 誘蚊產卵器指數 $< 40.0\%$ [白紋伊蚊分布廣泛]

第四級別：誘蚊產卵器指數 $\geq 40.0\%$ [白紋伊蚊分布非常廣泛]