



姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____



姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____



姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____



姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

姓名Name _____

地址Address _____

電話Telephone _____

備 Memo 忘

經常清理落葉

Remove fallen leaves regularly



備 Memo 忘

勤除積水滅蚊患

Eliminate stagnant water regularly to prevent mosquito breeding



登革熱、日本腦炎、寨卡病毒感染、瘧疾及基孔肯雅熱的預防方法

Prevention of Dengue Fever, Japanese Encephalitis, Zika virus infection, Malaria and Chikungunya Fever

最佳的預防方法是清除積水，防止蚊子滋生，以及避免給蚊叮。尤其是室外活動時，應穿著長袖衣服及長褲，按標籤指示在衣服或皮膚上施用驅蚊劑。如要到疾病發病率高的海外國家，可向醫生請教其他預防疾病方法，作好準備。

The best preventive measures are to remove stagnant water to prevent mosquito breeding; avoid mosquito bites; wear long-sleeved clothing and long trousers; and apply mosquito repellent on the clothes or skin according to label instructions. Seek medical advice to prevent infection of the diseases if you have plans to visit overseas countries with high occurrence rates of the diseases.